



Type	Core	Reverse Surface		Driving Surface		Nominal Thickness	Approx. weight	Tensile force at 1% elongation	Ultimate tensile force	Min. pulley diameter	Operating temperature	Nominal width
		Material	Colour	Material	Colour	mm	kg/qm	N/mm	N/mm	mm	°C -/+	mm
FLEXA												
8	Polyamid (PA)	Fabric (PA)	green	Fabric (PA)	green	0,9	0,9	2,0	85	15	-20/+80	500
12HC	Polyamid (PA)	Fabric (PA)	black	Fabric (PA)	black	1,2	1,4	5,0	220	30	-20/+80	500
10G	Polyamid (PA)	Fabric (PA)	green	Elastomer	black	0,9	1,0	2,0	85	25	-20/+80	500
12G	Polyamid (PA)	Fabric (PA)	green	Elastomer	green	1,2	1,1	2,0	85	15	-20/+80	500
15G	Polyamid (PA)	Fabric (PA)	green	Elastomer	black	1,3	1,3	4,0	140	25	-20/+80	500
20G	Polyamid (PA)	Fabric (PA)	green	Elastomer	black	1,7	1,8	7,0	320	50	-20/+80	500
25G	Polyamid (PA)	Fabric (PA)	black	Elastomer	black	2,7	2,9	12,0	500	90	-20/+80	500
30G	Polyamid (PA)	Fabric (PA)	black	Elastomer	black	3,0	3,2	15,0	660	200	-20/+80	500
40G	Polyamid (PA)	Fabric (PA)	black	Elastomer	black	3,7	4,0	20,0	940	280	-20/+80	500
L13FSTR	Polyamid (PA)	Elastomer	grey	Elastomer	grey	1,3	1,7	2,0	85	25	-20/+80	500
L18	Polyamid (PA)	Elastomer	yellow	Elastomer	green	1,6	1,8	4,0	140	25	-20/+80	500
L19	Polyamid (PA)	Elastomer	yellow	Elastomer	green	2,0	2,2	7,0	320	50	-20/+80	500
T21	Polyamid (PA)	Elastomer	green	Elastomer	green	2,1	2,4	5,0	220	30	-20/+80	500
T23	Polyamid (PA)	Elastomer	green	Elastomer	green	2,3	2,6	7,0	350	50	-20/+80	500
T26	Polyamid (PA)	Elastomer	green	Elastomer	green	2,6	2,8	10,0	500	70	-20/+80	500
T31	Polyamid (PA)	Elastomer	green	Elastomer	green	3,1	3,4	10,0	500	70	-20/+80	500
T34	Polyamid (PA)	Elastomer	green	Elastomer	green	3,4	3,5	12,0	530	100	-20/+80	500
T32/15	Polyamid (PA)	Elastomer	green	Elastomer	green	3,2	3,5	15,0	650	120	-20/+80	500
T36	Polyamid (PA)	Elastomer	green	Elastomer	green	3,6	4,0	15,0	650	120	-20/+80	500
T39	Polyamid (PA)	Elastomer	green	Elastomer	green	3,9	4,1	18,0	800	140	-20/+80	500
GF10AS	Polyamid (PA)	Fabric (PA)	black	Elastomer	green	0,9	1,0	2,0	85	25	-20/+80	500
GF20AS	Polyamid (PA)	Fabric (PA)	black	Elastomer	green	2,0	2,2	4,0	130	30	-20/+100	500
GF30AS	Polyamid (PA)	Fabric (PA)	black	Elastomer	green	2,6	3,0	5,0	240	40	-20/+100	500
GF40AS	Polyamid (PA)	Fabric (PA)	black	Elastomer	green	3,5	4,4	5,0	250	50	-20/+100	500
GG30	Polyamid (PA)	Elastomer	green	Elastomer	green	3,0	3,4	4,0	135	30	-20/+80	500
GG30-7	Polyamid (PA)	Elastomer	green	Elastomer	green	3,0	3,4	7,0	320	40	-20/+80	500
GG40	Polyamid (PA)	Elastomer	green	Elastomer	green	4,0	4,4	7,0	320	40	-20/+80	500
GG60	Polyamid (PA)	Elastomer	green	Elastomer	green	6,0	6,7	7,0	320	50	-20/+80	500